
anti-MCM2 (BM28)

Cat #: HM1035
Goat polyclonal IgG
0.2 µg/µ, store at 4 °C

For research use only

BACKGROUND

MCM2 is also known as BM28, belonging to the mini-chromosome maintenance (MCM) family of proteins. Other members include MCM3, MCM4 (Cdc21), MCM5 (Cdc46), MCM6 (Mis5) and MCM7 (Cdc47). The MCM proteins are essential for the initiation of DNA replication and they act to ensure replication occurs only once in the cell cycle.

SPECIFICITY

This antibody reacts with BM28 of mouse, rat and human origin by Western blotting, immunoprecipitation and immunohistochemistry.

IMMUNOGEN

A recombinant protein corresponding to the carboxy terminus of human MCM2.

STORAGE

This antibody is stable for 12 months when stored at 2-8°C.

REFERENCES

1. Todorov IT, Attaran A, Kearsy SE. (1995) BM28, a human member of the MCM2-3-5 family, is displaced from chromatin during DNA replication. *J Cell Biol.* 129:1433-45.
2. Edwards MC, Tutter AV, Cvetic C, Gilbert CH, Prokhorova TA, Walter JC. (2002) MCM2-7 complexes bind chromatin in a distributed pattern surrounding the origin recognition complex in *Xenopus* egg extracts. *J Biol Chem.* 277:33049-57.
3. Yukio Ishimi, Yuki Komamura-Kohno, Ken-ichi Arai, and Hisao Masai (2001) Biochemical Activities Associated with Mouse Mcm2 Protein. *J. Biol. Chem.*, 276: 42744-42752.
4. Zhang, J.J., Zhao, Y., Chait, B.T., Lathem, W.W., Ritz, M., Knippers, R., and Darnell, J.E., Jr. 1998. Ser727-dependent recruitment of MCM5 by Stat1alpha in IFN-gamma-induced transcriptional activation. *EMBO J.* 17: 6963-6971.
5. Coverley, D., Wilkinson, H.R., Madine, M.A., Mills, A.D., and Laskey, R.A. 1998. Protein kinase inhibition in G2 causes mammalian MCM proteins to reassociate with chromatin and restores ability to replicate. *Exp. Cell Res.* 238: 63-69.
6. Fujita, M., Yamada, C., Tsurumi, T., Hanaoka, F., Matsuzawa, K., and Inagaki, M. 1998. Cell cycle- and chromatin binding state-dependent phosphorylation of human MCM heterohexameric complexes. A role for cdc2 kinase. *J. Biol. Chem.* 273: 17095-17101.
7. Ishimi, Y. 1997. A DNA helicase activity is associated with an MCM4, -6, and -7 protein complex. *J. Biol. Chem.* 272: 24508-24513.

PRODUCT FROM HYPROMATRIX, INC.**A. AntibodyArray™s:**

1. Signal Transduction AntibodyArray™
Catalog Number HM3000
2. Apoptosis AntibodyArray™
Catalog Number HM4000
3. Cell Cycle AntibodyArray™
Catalog Number HM5000

B. Staining AntibodyArray™s

1. Staining AntibodyArray™ I
Catalog Number HM8100
2. AntibodyArray Staining Apparatus
Catalog Number HM8000

C. Antibodies**1. HRP-conjugated antibodies**

- anti-phosphotyrosine
Catalog Number HM2040
- anti-phosphoserine
Catalog Number HM2070
- anti-phosphothreonine
Catalog Number HM2090

and more...

2. Primary antibodies

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at www.hypromatrix.com.

CONTACT

Hypromatrix, Inc.
100 Barber Avenue
Worcester, MA 01606
USA

Tel: 508-856-7900
Fax: 508-302-0748
Email: contact@hypromatrix.com
Web: www.hypromatrix.com