

anti-IEX-1S/L

Cat #: HM1182 Goat polyclonal IgG 0.2 µg/µl, store at 4 °C

For research use only

BACKGROUND

IEX-1 (immediate early response gene X-1) was identified as a gene induced by ultraviolet radiation and TNF- α , which protected human squamous carcinoma cells from apoptosis. The promoter region of IEX-1 contains binding motifs for both NF- κ B and p53. Its expression is regulated by multiple transcription factors including p53, NF-kappaB/rel, Sp1 and c-Myc. IEX-1 is expressed as either a longer form (IEX-1L) or a shorter form (IEX-1S), and it is localized to the nucleus and perinuclear region. Overexpression of IEX-1 renders some cells sensitive to apoptosis and accelerates cell cycle progression, but reduces proliferation of other cells, whereas disruption of IEX-1 expression is associated with decreases in both apoptosis and cell cycle progression.

SPECIFICITY

This antibody specifically reacts with IEX of human, mouse and rat origin.

The antibody can be used in Western blotting, immunoprecipitiation and immunohistochemistry.

IMMUNOGEN

Full-length recombinant human IEX protein.

STORAGE

This antibody is stable for 12 months when stored at 2-8°C.

REFERENCES

- Wu, M.X., Ao, Z., Prasad, K.V., Wu, R., and Schlossman, S.F. 1998. IEX-1L, an apoptosis inhibitor involved in NF-κ B-mediated cell survival. Science 281: 998-1001.
- Kondratyev, A.D., Chung, K.N., and Jung, M.O. 1996. Identification and characterization of a radiation-inducible glycosylated human early-response gene. Cancer Res. 56: 1498-1502.
- 3. Kumar, R., Kobayashi, T., Warner, G.M., Wu, Y., Salisbury, J.L., Lingle, W. and Pittelkow, M.R. A novel immediate early response gene, IEX-1, is induced by ultraviolet radiation in human keratinocytes. Biochem. Biophys. Res. Commun. 253: 336-341.
- Schafer, H., Diebel, J., Arlt, A., Trauzold, A., and Schmidt, W.E. 1998. The promoter of human p22/PACAP response gene 1 (PRG1) contains functional binding sites for the p53 tumor suppressor and for NFκB. FEBS Letts. 436: 139-143.
- Im,H.J., Pittelkow,M.R. and Kumar,R. (2002) Divergent regulation of the growth-promoting gene IEX-1 by the p53 tumor suppressor and Sp1. J. Biol. Chem. 277, 14612-14621.
- Garcia, J., Ye, Y., Arranz, V., Letourneux, C., Pezeron, G. and Porteu, F. (2002) IEX-1: a new ERK substrate involved in both ERK survival activity and ERK activation. EMBO J. 21, 5151-5163

- Wu,M.X. (2003) Roles of the stress-induced gene IEX-1 in regulation of cell death and oncogenesis. Apoptosis 8, 11-18
- 8. Arlt,A., Kruse,M.L., Breitenbroich,M., Gehrz,A., Koc,B., Minkenberg,J., Folsch,U.R. and Schafer,H. (2003) The early response gene IEX-1 attenuates NF-kappaB activation in 293 cells, a possible counter-regulatory process leading to enhanced cell death. Oncogene 22, 3343-3351.
- Taddeo,B., Esclatine,A., Zhang,W. and Roizman,B. (2003)
 The stress-inducible immediate-early responsive gene IEX-1 is activated in cells infected with herpes simplex virus 1, but several viral mechanisms, including 3' degradation of its RNA, preclude expression of the gene. J. Virol. 77, 6178-6187.

PRODUCT FROM HYPROMATRIX, INC.

A. AntibodyArrayTMs:

- Signal Transduction AntibodyArrayTM
 Catalog Number HM3000
- Apoptosis AntibodyArrayTM
 Catalog Number HM4000
- 3. Cell Cycle AntibodyArrayTM
 Catalog Number HM5000
- 4. Custom AntibodyArrayTM
 Catalog Number HM6000

B. Antibodies

1. HRP-conjugated antibodies

anti-GST

Catalog Number HM2010

• anti-GFP

Catalog Number HM2020

• anti-c-Myc

Catalog Number HM2030

• anti-phosphotyrosine

Catalog Number HM2040

anti-HA tag

Catalog Number HM2060

and more...

2. Primary antibodies

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at http://www.hypromatrix.com.

CONTACT

Hypromatrix, Inc.

25 Winthrop Street Worcester, MA 01604 USA

Tel: 508-797-1700 Fax: 508-302-0743

Email: contact@hypromatrix.com
Web: www.hypromatrix.com