

anti-ING1 p33

Cat #: HM1191
Goat polyclonal IgG
0.2 µg/µl, store at 4 °C

For research use only

APPLICATIONS

ING1 p33 is a tumor suppressor protein that can induce cell growth arrest and apoptosis. It localizes to the nucleus, where it cooperates with p53 to induce growth arrest by directly associating with p53 and modulating its transcriptional activity. p33ING1 is required for p53 mediated negative regulation of cell proliferation and may also be required for other p53 dependent cellular processes, including programmed cell death.

SPECIFICITY

This antibody specifically reacts with ING1 p33 of human, mouse and rat origin.

The antibody can be used in Western blotting, immunoprecipitation and immunohistochemistry.

IMMUNOGEN

Full length recombinant human ING1 p33 protein.

STORAGE

This antibody is stable for 12 months when stored at 2-8°C.

REFERENCES

1. Garkavtsev, I., Kazarov, A., Gudkov, A., Riabowol, K. 1996. Suppression of the novel growth inhibitor p33ING1 promotes neoplastic transformation. *Nat. Genet.* 14: 415-420.
2. Zeremski, M., Horrigan, S.K., Grigorian, I.A., Westbrook, C.A., Gudkov, A.V. 1997. Localization of the candidate tumor suppressor gene ING1 to human chromosome 13q34. *Somat. Cell Mol. Genet.* 23: 233-236.
3. Garkavtsev, I., Grigorian, I.A., Ossovskaya, V.S., Chernov, M.V., Chumakov, P.M., Gudkov, A.V. 1998. The candidate tumor suppressor p33ING1 cooperates with p53 in cell growth control. *Nature* 391: 295-298.
4. Garkavtsev, I., Demetrick, D., Riabowol, K. 1997. Cellular localization and chromosome mapping of a novel candidate tumor suppressor gene (ING1). *Cytogenet. Cell Genet.* 76: 176-178.
5. Garkavtsev, I., Grigorian, I.A., Ossovskaya, V.S., Chernov, M.V., Chumakov, P.M. and Gudkov, A.V. 1998. The candidate tumour suppressor p33ING1 cooperates with p53 in cell growth control. *Nature* 391, 295-298.
6. Garkavtsev, I., Kazarov, A., Gudkov, A. and Riabowol, K. 1996. Suppression of the novel growth inhibitor p33ING1 promotes neoplastic transformation. *Nat. Genet.* 14, 415-420.
7. Nagashima, M., Shiseki, M., Miura, K., Hagiwara, K., Linke, S.P., Pedoux, R., Wang, X.W., Yokota, J., Riabowol, K. and Harris, C.C. 2001. DNA damage-inducible gene

p33ING2 negatively regulates cell proliferation through acetylation of p53. *Proc. Natl. Acad. Sci. U.S.A.* 98, 9671-9676.

8. Vieyra, D., Loewith, R., Scott, M., Bonnefin, P., Boisvert, F.M., Cheema, P., Pastyryeva, S., Meijer, M., Johnston, R.N., Bazett-Jones, D.P., McMahon, S., Cole, M.D., Young, D. and Riabowol, K. 2002. Human ING1 proteins differentially regulate histone acetylation. *J. Biol. Chem.* 277, 29832-29839.

PRODUCT FROM HYPROMATRIX, INC.**A. AntibodyArray™s:**

1. Signal Transduction AntibodyArray™
Catalog Number HM3000
2. Apoptosis AntibodyArray™
Catalog Number HM4000
3. Cell Cycle AntibodyArray™
Catalog Number HM5000

B. Staining AntibodyArray™s

1. Staining AntibodyArray™ I
Catalog Number HM8100
2. AntibodyArray Staining Apparatus
Catalog Number HM8000

C. Antibodies**1. HRP-conjugated antibodies**

- anti-phosphotyrosine
Catalog Number HM2040
- anti-phosphoserine
Catalog Number HM2070
- anti-phosphothreonine
Catalog Number HM2090

and more...

2. Primary antibodies

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at www.hypromatrix.com.

CONTACT

Hypromatrix, Inc.
100 Barber Avenue
Worcester, MA 01606
USA

Tel: 508-856-7900
Fax: 508-302-0748
Email: contact@hypromatrix.com
Web: www.hypromatrix.com