
anti-VASP

Cat #: HM1389
Goat polyclonal IgG
0.2 µg/µl, store at 4 °C

For research use only

BACKGROUND

Vasodilator-stimulated phosphoprotein (VASP) is a member of the Ena-VASP protein family. The family members contain an EHV1 N-terminal domain that binds proteins containing E/DFPPPPXD/E motifs and targets Ena-VASP proteins to focal adhesions. The mid-region of the protein contains a proline-rich domain that binds SH3 and WW domain-containing proteins. The C-terminal EVH2 domain mediates tetramerization and binds both G and F actin. VASP is associated with filamentous actin formation and likely plays a widespread role in cell adhesion and motility. VASP is a substrate of cAMP and cGMP dependent kinases, VASP is phosphorylated on a regulatory serine residue 157 and localizes to focal adhesions, microfilaments and highly active regions of the plasma membrane. VASP may also be involved in the intracellular signaling pathways that regulate integrin-extracellular matrix interactions.

SPECIFICITY

This antibody specifically reacts with VASP of human, mouse and rat origin.

The antibody can be used in Western blotting, immunoprecipitation and immunohistochemistry.

Molecular Weight of VASP: 46–50 kDa

Western blotting positive controls: HeLa cell lysate.

IMMUNOGEN

A synthetic peptide derived from N-terminus of human VASP protein.

STORAGE

This antibody is stable for 12 months when stored at 2-8° C.

REFERENCES

1. Reinhard, M., Halbrugge, M., Scheer, U., Wiegand, C., Jockusch, B.M., and Walter, U. 1992. The 46/50 kDa phosphoprotein VASP purified from human platelets is a novel protein associated with actin filaments and focal contacts. *EMBO J.* 11: 2063-2070.
2. Haffner, C., Jarchau, T., Reinhard, M., Hoppe, J., Lohmann, S.M. and Walter, U. (1995) Molecular cloning, structural analysis and functional expression of the proline-rich focal adhesion and microfilament-associated protein VASP. *EMBO J.* 14, 19-27.
3. Reinhard, M., Jouvenal, K., Tripier, D., and Walter, U. 1995. Identification, purification and characterization of a zyxin-related protein that binds the focal adhesion and

- microfilament protein VASP (vasodilator-stimulated hosphoprotein). *Proc. Natl. Acad. Sci. USA* 92: 7956-7960.
4. Howe, A.K., Hogan, B.P. and Juliano, R.L. (2002) Regulation of vasodilator-stimulated phosphoprotein phosphorylation and interaction with Abl by protein kinase A and cell adhesion. *J. Biol. Chem.* 277, 38121-38126.
5. Grosse, R., Copeland, J.W., Newsome, T.P., Way, M. and Treisman, R. (2003) A role for VASP in RhoA-Diaphanous signalling to actin dynamics and SRF activity. *EMBO J.* 22, 3050-3061.
6. Samarin, S., Romero, S., Kocks, C., Didry, D., Pantaloni, D. and Carlier, M.F. (2003) How VASP enhances actin-based motility. *J. Cell Biol.* 163, 131-142

PRODUCTS FROM HYPROMATRIX, INC.**A. AntibodyArray™s:**

1. Signal Transduction AntibodyArray™
Catalog Number HM3000
2. Apoptosis AntibodyArray™
Catalog Number HM4000
3. Cell Cycle AntibodyArray™
Catalog Number HM5000

B. Staining AntibodyArray™s

1. Staining AntibodyArray™ I
Catalog Number HM8100
2. AntibodyArray Staining Apparatus
Catalog Number HM8000

C. Antibodies**1. HRP-conjugated antibodies**

- anti-phosphotyrosine
Catalog Number HM2040
- anti-phosphoserine
Catalog Number HM2070
- anti-phosphothreonine
Catalog Number HM2090

and more...

2. Primary antibodies

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at www.hypromatrix.com.

CONTACT

Hypromatrix, Inc.
100 Barber Avenue
Worcester, MA 01606
USA

Tel: 508-856-7900
Fax: 508-302-0748
Email: contact@hypromatrix.com
Web: www.hypromatrix.com