
anti- c-Kit

Cat #: HM1210
Rabbit polyclonal IgG
0.2 µg/µl, store at 4 °C

For research use only

BACKGROUND

c-Kit (also known as CD117 and stem cell factor receptor) is a 145 kDa transmembrane tyrosine kinase closely related to the platelet derived growth factor receptor. It is the cellular homolog of the protein encoded by HZ4-feline sarcoma virus transforming gene, v-Kit. Activation of c-kit leads to autophosphorylation on several tyrosine residues within the cytoplasmic domain. c-Kit regulates a variety of biological responses including cell proliferation, apoptosis, chemotaxis and adhesion. Mutations in c-Kit are involved in a variety of cancers including mast cell diseases, gastrointestinal stromal tumor, acute myeloid leukemia, Ewing sarcoma and lung cancer.

SPECIFICITY

This antibody reacts with c-kit of mouse, rat and human origin. It can be used in Western blotting, immunoprecipitation and immunohistochemistry.

Molecular Weight of c-kit: 145 kDa.

IMMUNOGEN

Recombinant protein corresponding to the c-terminus of human c-kit.

STORAGE

This antibody is stable for 12 months when stored at 2-8°C.

REFERENCES

1. Yarden, Y., Kuang, W.-J., Yang-Feng, T., Coussens, L., Munemitsu, S., Dull, T.J., Chen, E., Schlessinger, J., Francke, Y., and Ullrich, A. 1987. Human proto-oncogene *c-kit*: a new cell surface receptor kinase for an unidentified ligand. *EMBO J.* 6: 3341-3347.
2. Besmer, P., Murphy, J.E., George, P.C., Qui, F., Berjold, P.J., Lederman, L., Snyder, H.W. Jr., Brodeur, D., Zuckerman, E.E. and Hardy, W.D. 1986. A new acute transforming feline retrovirus and relationship of its oncogene *v-kit* with the protein kinase gene family. *Nature* 320: 415-417.
3. Chabot, B., Stephenson, D.A., Chapman, V.M, Besmer, P., and Bernstein, A. 1988. The proto-oncogene *c-kit* encoding a transmembrane tyrosine kinase receptor maps to the mouse *W* locus. *Nature* 335: 88-90.
4. Geissler, E.N., Ryan, M.A., and Housman, D.E. 1988. The dominant-white spotting (*W*) locus of the mouse encodes the *c-kit* proto-oncogene. *Cell* 55: 185-195.
5. Tsai, M., Shih, L.S., Newlands, G.F., Takeishi, T., Langley, K.E., Zsebo, K.M., Miller, H.R., Geissler, E.N., and Galli, S.J. 1991. The rat *c-kit* ligand, stem cell factor, induces the development of connective tissue-type and mucosal mast

cells *in vivo*. Analysis by anatomical distribution, histochemistry and protease phenotype. *J. Exp. Med.* 174: 125-131.

6. Longley, B.J. Jr., Metcalfe, D.D., Tharp, M., Wang, X., Tyrrell, L., Lu, S.Z., Heitjan, D. and Ma, Y. (1999) Activating and dominant inactivating c-KIT catalytic domain mutations in distinct clinical forms of human mastocytosis. *Proc. Natl. Acad. Sci. U.S.A.* 96, 1609-1614
7. Liang, X., Wisniewski, D., Strife, A., Shivakrupa, Clarkson, B. and Resh, M.D. (2002) Phosphatidylinositol 3-kinase and Src family kinases are required for phosphorylation and membrane recruitment of Dok-1 in c-Kit signaling. *J. Biol. Chem.* 277, 13732-13738.

PRODUCTS FROM HYPROMATRIX, INC.**A. AntibodyArray™s:**

1. Signal Transduction AntibodyArray™
Catalog Number HM3000
2. Apoptosis AntibodyArray™
Catalog Number HM4000
3. Cell Cycle AntibodyArray™
Catalog Number HM5000

B. Staining AntibodyArray™s

1. Staining AntibodyArray™ I
Catalog Number HM8100
2. AntibodyArray Staining Apparatus
Catalog Number HM8000

C. Antibodies**1. HRP-conjugated antibodies**

- anti-phosphotyrosine
Catalog Number HM2040
- anti-phosphoserine
Catalog Number HM2070
- anti-phosphothreonine
Catalog Number HM2090

and more...

2. Primary antibodies

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at www.hypromatrix.com.

CONTACT

Hypromatrix, Inc.
100 Barber Avenue
Worcester, MA 01606
USA

Tel: 508-856-7900
Fax: 508-302-0748
Email: contact@hypromatrix.com
Web: www.hypromatrix.com