

anti-p-EGFR

Cat #: HM1406
Rabbit polyclonal IgG
0.2 µg/µl, store at 4 °C

For research use only

BACKGROUND

Epidermal Growth factor receptor (EGFR) is the prototype member of the type I receptor tyrosine kinases. It has an extracellular ligand binding domain, a single transmembrane region, and cytoplasmic domain which is composed of a tyrosine kinase domain and a carboxy terminal domain. Several additional members of the EGF/TGF α family of ligands have been described. These include cripto, amphiregulin and the heparin-binding EGF-like growth factor. Other members of the EGF receptor family include HER2 (ErbB-2, Neu) and HER3 (ErbB-3). EGFR over expression is observed in many tumors and EGFR over expression in tumors indicates poor prognosis. The carboxy terminal tyrosine residues on EGFR, Tyr 1068 and Tyr 1173 are the major sites of autophosphorylation, which occurs as a result of EGF binding. Once activated, EGFR mediates the binding of the phosphotyrosine binding (PTB) domain of Grb2 through direct interactions with Tyr 1068 and Tyr 1086 and through indirect interactions with Tyr 1173 in the Ras signaling pathway. Tyr 1173 of EGFR also functions as a kinase substrate. Phosphorylation of Tyr 992, Tyr 1068 and Tyr 1086 is required for conformational change in the C-terminal tail of the EGF receptor.

SPECIFICITY

This antibody reacts with the EGF receptor phosphorylated at Tyr-1173 of mouse, rat and human origin by Western blotting, immunoprecipitation and immunohistochemistry (including paraffin-embedded sections).

Molecular Weight of EGFR: 170 kDa. Western blotting positive control: EGF-treated A-431 cells.

IMMUNOGEN

A peptide containing phosphorylated Tyr 1173 of human EGFR.

STORAGE

This antibody is stable for 12 months when stored at 2-8°C.

REFERENCES

1. Hunter, T. 1984. The epidermal growth factor receptor gene and its product. Nature 311: 414-416.
2. Ullrich, A., Coussens, L., Hayflick, J.S., Dull, T.J., Gray, A., Tam, A.W., Lee, J., Yarden, Y., Libermann, T.A., Schlessinger, J. et al. (1984) Human epidermal growth factor receptor cDNA sequence and aberrant expression of the amplified gene in A431 epidermoid carcinoma cells. Nature 309, 418-425
3. Ciardiello, F., Kim, N. Saeki, T., Dono, R., Persico, M.G., Plowman, G.D., Garrigues, J., Radke, S., Todaro, G.J., and Salomon, D.S. 1991. Differential expression of epidermal growth factor-related proteins in human colorectal tumors. Proc. Natl. Acad. Sci. USA 88: 7792-7796.
4. Yamamoto, T., Ikawa, S., Akiyama, T., Semba, K., Nomura, M., Miyajima, N., Saito, T., and Toyoshima, K. 1986.

Similarity of protein encoded by the human *c-erb-B-2* gene to epidermal growth factor receptor. Nature 319: 230-234.

5. Kraus, M.H., Issing, W., Miki, T., Popescu, N.C., and Aaronson, S.A. 1989. Isolation and characterization of ERBB3, a third member of the ERBB/epidermal growth factor receptor family: evidence for overexpression in a subset of human mammary tumors. Proc. Natl. Acad. Sci. USA 86: 9193-9197.
6. Countaway, J.L., Northwood, I.C. and Davis, R.J. (1989) Mechanism of phosphorylation of the epidermal growth factor receptor at threonine 669. J. Biol. Chem. 264, 10828-10835.
7. Plowman, G.D., Whitney, G.S., Neubauer, M.G., Green, J.M., McDonald, V.L., Todaro, G.J., and Shoyab, M. 1990. Molecular cloning and expression of an additional epidermal growth factor receptor-related gene. Proc. Natl. Acad. Sci. USA 87: 4905-4909.

PRODUCTS FROM HYPROMATRIX, INC.**A. AntibodyArray™s:**

1. Signal Transduction AntibodyArray™
Catalog Number HM3000
2. Apoptosis AntibodyArray™
Catalog Number HM4000
3. Cell Cycle AntibodyArray™
Catalog Number HM5000

B. Staining AntibodyArray™s

1. Staining AntibodyArray™ I
Catalog Number HM8100
2. AntibodyArray Staining Apparatus
Catalog Number HM8000

C. Antibodies**1. HRP-conjugated antibodies**

- anti-phosphotyrosine
Catalog Number HM2040
- anti-phosphoserine
Catalog Number HM2070
- anti-phosphothreonine
Catalog Number HM2090

and more...

2. Primary antibodies

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at www.hypromatrix.com.

CONTACT

Hypromatrix, Inc.
100 Barber Avenue
Worcester, MA 01606
USA

Tel: 508-856-7900
Fax: 508-302-0748
Email: contact@hypromatrix.com
Web: www.hypromatrix.com