

**anti-p27**

Cat #: HM1263  
Mouse monoclonal IgG  
0.2 µg/µl, store at 4 °C

For research use only

**BACKGROUND**

Cell cycle progression is regulated by protein complexes that consist of catalytic subunits (Cdks) and activating subunits (cyclins). Several proteins have been identified as cell cycle regulatory mitotic inhibitors of cdk. These include p21, p16, p15 and p27/KIP1. p27 interacts with D-type cyclins and Cdk4 and to a lesser extent with cyclin E and Cdk2. p27 is a negative regulator of G1 progression and functions as a possible mediator of TGF beta induced G1 arrest. p27/KIP 1 is a candidate tumor suppressor gene.

**SPECIFICITY**

This antibody recognizes p27 of human, rat and mouse origin.

The antibody can be used in Western blotting, immunoprecipitation and immunostaining.

**IMMUNOGEN**

Full-length recombinant human p27 protein.

**STORAGE**

This antibody is stable for 12 months when stored at 2-8°C.

**REFERENCE**

1. Sherr, C.J. 1993. Mammalian G1 cyclins. *Cell* 73: 1059-1065.
2. Xiong, Y., Hannon, G.J., Zhang, H., Casso, D., Kobayashi, R., and Beach, D. 1993. p21 is a universal inhibitor of cyclin kinases. *Nature* 366: 701-704.
3. El-Deiry, W.S., Tokino, T., Velculescu, V.E., Levy, D.B., Parsons, R., Trent, J.M., Lin, D., Mercer, W.E., Kinzler, K.W., and Vogelstein, B. 1993. WAF1, a potential mediator of p53 tumor suppression. *Cell* 75: 817-825.
4. Hannon, G.J. and Beach, D. 1994. p15INK4B is a potential effector of TGF-induced cell cycle arrest. *Nature* 371: 257-260.
5. Polyak, K., Kato, J.-Y., Solomon, M.J., Sherr, C.J., Massagué, J., Roberts, J.M., and Koff, A. 1994. p27Kip1, a cyclin-Cdk inhibitor, links transforming growth factor- $\beta$  and contact inhibition to cell cycle arrest. *Genes and Dev.* 8: 9-22.
6. Hengst, L., Dulic, V., Slingerland, J.M., Lees, E., and Reed, S.I. 1994. A cell cycle-regulated inhibitor of cyclin-dependent kinases. *Proc. Natl. Acad. Sci. USA* 91: 5291-5295.
7. Polyak, K., Lee, M.-H., Erdjument-Bromage, H., Koff, A., Roberts, J.M., Tempst, P., and Massagué, J. 1994. Cloning of p27Kip1, a cyclin-dependent kinase inhibitor and a potential mediator of extracellular antimitogenic signals. *Cell* 78: 59-66.
8. Toyoshima, H. and Hunter, T. 1994. p27, a novel inhibitor of G1 cyclin-Cdk protein kinase activity, is related to p21. *Cell* 78: 67-74.

**PRODUCT FROM HYPROMATRIX, INC.****A. AntibodyArray™s:**

1. Signal Transduction AntibodyArray™  
Catalog Number HM3000
2. Apoptosis AntibodyArray™  
Catalog Number HM4000
3. Cell Cycle AntibodyArray™  
Catalog Number HM5000

**B. Staining AntibodyArray™s**

1. Staining AntibodyArray™ I  
Catalog Number HM8100
2. AntibodyArray Staining Apparatus  
Catalog Number HM8000

**C. Antibodies****1. HRP-conjugated antibodies**

- anti-phosphotyrosine  
Catalog Number HM2040
- anti-phosphoserine  
Catalog Number HM2070
- anti-phosphothreonine  
Catalog Number HM2090

and more...

**2. Primary antibodies**

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at [www.hypromatrix.com](http://www.hypromatrix.com).

**CONTACT**

**Hypromatrix, Inc.**  
100 Barber Avenue  
Worcester, MA 01606  
USA

Tel: 508-856-7900  
Fax: 508-302-0748  
Email: [contact@hypromatrix.com](mailto:contact@hypromatrix.com)  
Web: [www.hypromatrix.com](http://www.hypromatrix.com)