

---

**Anti-DcR2**

Cat #: HM1116  
Rabbit polyclonal IgG  
0.2 µg/µl, store at 4 °C

For research use only

**BACKGROUND**

TRAIL/Apo2L is a member of the TNF family and induces apoptosis in a variety of tumor cell lines. DR4 and DR5 are the receptors for TRAIL. DcR1/TRID is a "decoy receptor". Another TRAIL receptor family was more recently identified and designated DcR2, TRAIL-R4, or TRUNDD. DcR2 contains an extracellular TRAIL-binding domain, a transmembrane domain, and a truncated cytoplasmic death domain. This receptor does not induce apoptosis, and has been shown to play an inhibitory role in TRAIL-induced cell apoptosis. Like DR4 and DR5, DcR2 transcript is widely expressed in normal human tissues. Overexpression of DcR2 attenuates TRAIL-induced apoptosis.

**SPECIFICITY**

This antibody specifically reacts with DcR2 of human origin.

The antibody can be used in Western blotting and immunohistochemistry.

Positive control for Western blotting: whole cell lysate from HeLa cells.

**IMMUNOGEN**

A peptide mapping at the carboxy terminus of human DcR2.

**STORAGE**

This antibody is stable for 12 months when stored at 2-8°C.

**REFERENCES**

1. Smith, C.A., Farrah, T., and Goodwin, R.G. 1994. The TNF receptor superfamily of cellular and viral proteins: activation, costimulation, and death. *Cell* 76: 959-962.
2. Kitson, J., Raven, T., Jiang, Y.-P., Goeddel, D.V., Giles, K.M., Pun, K.-T., Grinham, C.J., Brown, R., and Farrow, S.N. 1996. A death-domain-containing receptor that mediates apoptosis. *Nature* 384: 372-375.
3. Pan, G., O'Rourke, K., Chinnaiyan, A.M., Gentz, R., Ebner, R., Ni, J., and Dixit, V.M. 1997. The receptor for the cytotoxic ligand TRAIL. *Science* 276: 111-113.
4. Sheridan, J.P., Marsters, S.A., Pitti, R.M., Gurney, A., Skubatch, M., Baldwin, D., Ramakrishnan, L., Gray, C.L., Baker, K., Wood, W.I., Goddard, A.D., Godowski, P., and Ashkenazi, A. 1997. Control of TRAIL-induced apoptosis by a family of signaling and decoy receptors. *Science* 277: 818-821.
5. Pan, G., Ni, J., Wei, Y.-F., Yu, G.-L., Gentz, R., and Dixit, V.M. 1997. An antagonist decoy receptor and a death domain-containing receptor for TRAIL. *Science* 277: 815-818.

6. Marsters, S.A., Sheridan, J.P., Pitti, R.M., Huang, A., Skubatch, M., Baldwin, D., Yuan, J., Gurney, A., Goddard, A.D., Godowski, P., and Ashkenazi, A. 1997. A novel receptor for Apo2L/TRAIL contains a truncated death domain. *Curr. Biol.* 7: 1003-1006.
7. Degli-Esposti, M.A., Dougall, W.C., Smolak, P.J., Waugh, J.Y., Smith, C.A. and Goodwin, R.G. 1997. The novel receptor TRAIL-R4 induces NF-kappaB and protects against TRAIL-mediated apoptosis, yet retains an incomplete death domain. *Immunity*, 813-820.
8. Pan, G., Ni, J., Yu, G., We, Y.F., and Dixit, V.M. 1998. TRUNDD, a new member of the TRAIL receptor family that antagonizes TRAIL signalling. *FEBS Letts.* 424: 41-45.

**PRODUCT FROM HYPROMATRIX, INC.****A. AntibodyArray™s:**

1. Signal Transduction AntibodyArray™  
Catalog Number HM3000
2. Apoptosis AntibodyArray™  
Catalog Number HM4000
3. Cell Cycle AntibodyArray™  
Catalog Number HM5000

**B. Staining AntibodyArray™s**

1. Staining AntibodyArray™ I  
Catalog Number HM8100
2. AntibodyArray Staining Apparatus  
Catalog Number HM8000

**C. Antibodies****1. HRP-conjugated antibodies**

- anti-phosphotyrosine  
Catalog Number HM2040
- anti-phosphoserine  
Catalog Number HM2070
- anti-phosphothreonine  
Catalog Number HM2090

and more...

**2. Primary antibodies**

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at [www.hypromatrix.com](http://www.hypromatrix.com).

**CONTACT**

**Hypromatrix, Inc.**  
100 Barber Avenue  
Worcester, MA 01606  
USA

Tel: 508-856-7900  
Fax: 508-302-0748  
Email: [contact@hypromatrix.com](mailto:contact@hypromatrix.com)  
Web: [www.hypromatrix.com](http://www.hypromatrix.com)