

anti-TRAF4

Cat #: HM1380 Rabbit polyclonal IgG 0.2 µg/µl, store at 4 °C

For research use only

BACKGROUND

TRAF4 is a member of the TRAF (TNF receptor-associated factor) family of adaptor proteins. Members of the TRAF family have been implicated in the signal transduction mechanism of the TNF receptor superfamily. Six members have thus far been described and are designated TRAF1, TRAF2, TRAF3, TRAF4, TRAF5, and TRAF6. TRAF4, originally termed CART1, is specifically expressed in breast carcinomas, and is localized to the nucleus in such tissues. This protein has been shown to interact with neurotrophin receptor, p75 (NTR/NTSR1), and negatively regulate NTR induced cell death and NF-kappa B activation. TRAF4 also binds to p47phox, and is thought to be involved in the activation of MAPK8/JNK.

SPECIFICITY

This antibody reacts with TRAF4 of mouse, rat and human origin. It can be used in Western blotting, immunoprecipitation and immunohistochemistry.

IMMUNOGEN

Full-length recombinant human TRAF4 protein.

STORAGE

This antibody is stable for 12 months when stored at 2-8°C.

REFERENCES

- Cleveland, J.L. and Ihle, J.N. 1995. Contenders in FasL/TNF death signaling. Cell 81: 479-482.
- Rothe, M., Sarma, V., Dixit, V.M., and Goeddel, D.V. 1995. TRAF2-mediated activation of NFkB by the TNF receptor 2 and CD40. Science 269: 1424-1427.
- Rothe, M., Wong, S.C., Henzel, W.J., and Goeddel, D.V. 1994. A novel family of putative signal transducers associated with the cytoplasmic domain of the 75 kDa tumor necrosis factor receptor. Cell 78: 681-692.
- Cheng, G., Cleary, A.M., Ye, Z.S., Hong, D.I., Lederman, S., and Baltimore, D. 1995. Involvement of CRAF1, a relative of TRAF, in CD40 signaling. Science 267: 1494-1498.
- Masson,R., Regnier,C.H., Chenard,M.P., Wendling,C., Mattei,M.G., Tomasetto,C. and Rio,M.C. (1998) Tumor necrosis factor receptor associated factor 4 (TRAF4) expression pattern during mouse development. Mech. Dev. 71, 187-191.
- Ye,X., Mehlen,P., Rabizadeh,S., VanArsdale,T., Zhang,H., Shin,H., Wang,J.J., Leo,E., Zapata,J., Hauser,C.A., Reed,J.C. and Bredesen,D.E. (1999) TRAF family proteins interact with the common neurotrophin receptor and modulate apoptosis induction. J. Biol. Chem. 274, 30202-30208.

- Xu,Y.C., Wu,R.F., Gu,Y., Yang,Y.S., Yang,M.C., Nwariaku,F.E. and Terada,L.S. (2002) Involvement of TRAF4 in oxidative activation of c-Jun N-terminal Kinase. J. Biol. Chem. 277, 28051-28057.
- Regnier, C.H., Masson, R., Kedinger, V., Textoris, J., Stoll, I., Chenard, M.P., Dierich, A., Tomasetto, C. and Rio, M.C. (2002) Impaired neural tube closure, axial skeleton malformations, and tracheal ring disruption in TRAF4deficient mice. Proc. Natl. Acad. Sci. U.S.A. 99, 5585-5590
- Sax,J.K. and El-Deiry,W.S. (2003) Identification and characterization of the cytoplasmic protein TRAF4 as a p53regulated proapoptotic gene. J. Biol. Chem. 278, 36435-36444

PRODUCTS FROM HYPROMATRIX, INC.

A. AntibodyArrayTMs:

- Signal Transduction AntibodyArrayTM
 Catalog Number HM3000
- Apoptosis AntibodyArrayTM
 Catalog Number HM4000
- 3. Cell Cycle AntibodyArrayTM
 Catalog Number HM5000

$\textbf{B. Staining AntibodyArray}^{TM} \textbf{s}$

- . Staining AntibodyArrayTM I
 Catalog Number HM8100
- 2. AntibodyArray Staining Apparatus Catalog Number HM8000

C. Antibodies

1. HRP-conjugated antibodies

- anti-phosphotyrosine
- Catalog Number HM2040
- anti-phosphoserine
 - Catalog Number HM2070
- anti-phosphothreonine
 Catalog Number
 HM2090

and more...

2. Primary antibodies

Hypromatrix offers a variety of high quality antibodies. For a complete list of antibodies and their specificities, please visit our web site at www.hypromatrix.com.

CONTACT

Hypromatrix, Inc.

100 Barber Avenue Worcester, MA 01606 USA

Tel: 508-856-7900 Fax: 508-302-0748

Email: contact@hypromatrix.com
Web: www.hypromatrix.com